

we aspire to be  
leaders in high-tec  
greenhouses and  
hydroponic systems  
design, manufacture, supply  
and installation

نسعى لنكون الرواد في مجال تصميم و  
تصنيع و توريد و تركيب كافة أنواع  
البيوت الزراعية و أنظمة الزراعة المائية

 **Mahmi**  
Agricultural Trading

# Mahmi Catalog

Website : [www.mahmi.net/Qatar](http://www.mahmi.net/Qatar)

E-mail : [qrmahmi@hotmail.com](mailto:qrmahmi@hotmail.com)

Mobile : +974 7750 7722



لقد تم تأسيس شركة محمي قطر بناء على خبرات تراكمية لمؤسسيها في مجال تصميم وتصنيع البيوت الزراعية المحمية و مستلزماتها من معدات وأنظمة تسميد وري .

وقد كان على رأس أولوياتها ان تكون قادرة على توريد المنتجات والخدمات التي تحقق أفضل المواصفات في هذا المجال و منذ التأسيس كانت رؤيتنا وهدفنا هي تقديم الخدمات التي تلبى متطلبات المزارعين والمهتمين بالزراعة بأفضل الأسعار و أعلى المواصفات

كما إن خبراتنا في منطقة الخليج وقطر تمتد لعام 2014 فنحن نقوم بتصميم وتصنيع و توريد البيوت الزراعية المبردة ذات التكنولوجيا العالية كما نقوم بتصميم وتوريد أنظمة التسميد والري و أنظمة التحكم بالطقس و نتعاون مع كبريات الشركات العالمية في مجال البيوت الزراعية المبردة ومستلزماتها بحيث نقدم جميع الحلول في هذا المجال فنحن نختار أفضل المواد الخام لمشاريعنا و دائما نواكب التطورات التكنولوجية في مجال البيوت الزراعية وأنظمة الزراعة المائية

و شركتنا هي الممثل و الوكيل الحصري في قطر والشرق الوسط لشركة محمي السويدية المتخصصة في تصميم البيوت الزراعية و إنتاج مستلزماتها والتي تصنع منتجاتها وفقا للمواصفات والمعايير الأوروبية المطبقة في أفضل المصانع عالميا وبأسعار معقولة لتوفير منتجات عالية القيمة

كما ان شركتنا تعتبر مورد رئيسي في السوق القطرية و منطقة الخليج و شمال افريقيا حيث نقوم بتوريد العديد من المواد و لوازم البيوت الزراعية و أنظمة الزراعة المائية للكثير من المزارع و الشركات التي تنشط في مجال الخدمات الزراعية

MAHMI-Qatar was established with the accumulative experiences of its founders in the field of designing and manufacturing of greenhouses and their equipment's, including fertilization and irrigation equipment's.

And it was MAHMI-Qatar's top priority to be able to supply products and services that can achieve the best specifications in the field, and since its establishment, our vision and goal was to provide services that meet the requirements of both the farmers and those interested in agriculture, at the best prices and the highest specifications.

Our expertise in the Gulf region and Qatar extends back to 2014, as we designed, manufactured and supplied high-tech cooled greenhouses to the area - we also design and supply fertilization, irrigation and environment control systems.

We cooperated with major international companies in the field of cooled greenhouses and its equipment's, so that we could provide all the solutions and services in this field.

We choose the best raw materials for our projects and we always stay in pace with the latest technological developments in the field of greenhouses and hydroponic farming,

Our company is the only representative and agent for the Swedish company MAHMI in Qatar and the Middle East, which specializes in designing and producing greenhouses and agricultural equipment's according to the European standards and specifications, in the best factories in the world at a reasonable prices to provide high-value products.

Also, our company is considered a major supplier in the Qatari market, the Gulf region and North Africa, where we supply materials and necessities of greenhouses and hydroponic systems to many farms and companies that are active in the field of agricultural services.

## A short list of our projects for the last year

1. Farm No. ( ,inahT IA afilahK nib damaH nib naaoJ hkiehS ,renwo eht (254 41 gnillatsni dna gniylppuscooled greenhouses units with an area of 1,088 square meters for each unit, and a total area of 44,608 square meters.
2. Farm No. ( owt ,inahT IA afilahK nib damaH nib naaoJ hkiehS ,renwo eht (254 9984 +9100 ) sesuoh tensquare meters).
3. Al Wobra Farm: One net house with an area of 9,100 square meters.
4. The farm of Sheikh Abdullah bin Nasser, a cooled greenhouse, with an area of 1080 square meters
5. Farm No. ( a ,inahT IA afilahK nib damaH nib naaoJ hkiehS ,renwo eht (254 76 fo aera na ,setad gniyrd rof moorsquare meters.

## قائمة قصيرة لمشاريعنا في السنة الأخيرة

1. المزرعة رقم - ٢٥٤ - المالك الشيخ جوعان بن حمد بن خليفة آل ثاني توريد وتركيب 41 بيت زراعي مبرد بمساحة ١٠٨٨ متر مربع لكل وحدة بمساحة اجمالية ٤٤٦٠٨ متر مربع.
2. المزرعة رقم - ٢٥٤ - المالك الشيخ جوعان بن حمد بن خليفة آل ثاني اثنان من البيوت الزراعية الشبكية ٩١٠٠ + ٩٩٨٤ متر مربع
3. مزرعة الوبرة : بيت زراعي شبكي واحد بمساحة ٩١٠٠ متر مربع
4. مزرعة الشيخ عبد الله بن ناصر بيت زراعي مبرد بمساحة ١٠٨٠ متر مربع
5. المزرعة رقم ٢٥٤ - المالك الشيخ جوعان بن حمد بن خليفة آل ثاني - غرفة تجفيف تمور مساحة ٧٦ متر مربع

## منتجاتنا و خدماتنا

قائمة خدماتنا ومنتجاتنا تشمل:

1. تصميم وتصنيع و تركيب الصوب الزراعية بكافة أنواعها و جميع مستلزماتها الصالات المبردة البيوت الشبكية وصالات المشاتل
2. مراوح التبريد الخاصة بالبيوت الزراعية بكافة أنواعها ومقاساته
3. الواح التبريد سماكة 10 و 15 سم وكافة مستلزماته
4. جميع أنظمة الزراعة المائية و مستلزماتها
5. الواح بولي كربونات مزدوج الجدار (10-8-6) ملم
6. رقائق البولي ايثيلين 200 ميكرون ثلاث طبقات .
7. شبك مانع الحشرات وشبك التظليل
8. الصوبات الزراعية المنزلية
9. أنظمة التحكم بالبيوت الزراعية وأنظمة التسميد وأنظمة التحكم بالطقس
10. اعداد دراسات الجدوى والدراسات الفنية للمشاريع الزراعية

## Our products and services

**The list of our services and products includes:**

1. Designing, manufacturing and installing greenhouses of all kinds and all their requirements (cold halls - net houses - and nursery lounges)
2. Cooling fans for greenhouses of all types and sizes.
3. Cooling panels 10 and 15 cm thickness and all its accessories.
4. All hydroponic farming systems and their accessories.
5. Double wall polycarbonate sheets (6-8-10)mm.
6. 200 micron polyethylene sheets, 3 layered.
7. Insect repellent nets and shading nets.
8. Home greenhouses
9. Greenhouses control systems and panels, fertilization and environment control systems.
10. Feasibility studies and technical studies for agricultural projects.

شركة محمي قطر بالتعاون مع شركة محمي السويد تقوم بتصميم وتصنيع و تركيب الصوب الزراعية المبردة بكافة مقاساتها و حسب متطلبات الزبون

**MAHMI-Qatar company, in cooperation with Sweden-MAHMI, designs, manufactures and installs cooled greenhouses of all sizes and according to customer requirements.**



شركة محمي قطر بالتعاون مع شركة محمي السويد تقوم بتصميم وتصنيع و تركيب الصوب الزراعية الشبكية بكافة مقاساتها و حسب متطلبات الزبون

**MAHMI-Qatar company, in cooperation with Sweden-MAHMI, designs, manufactures and installs cooled greenhouses of all sizes and according to customer requirements.**



## شركتنا الوكيل الحصري لمراوح التبريد ماركة محمي السويدية ذات الجودة العالية و الخاصة بالبيوت الزراعية بكافة أنواعها ومقاساتها

**Our company is the exclusive agent for the Swedish brand MAHMI cooling fans which is of a very high quality and for greenhouses of all types and sizes.**

### MSC - CENTRIFUGAL EXHAUST FAN



[Structure and principle] :

**MSC - High Class Fan** is composed of a blade, motor, outer frame protecting nets and supporting frames and shutters. The shutters are opened by the Push-pull Centrifugal system. The major parts are made of galvanized steel sheets (180g/275m<sup>2</sup> zinc coating) and stainless steel sheets. Based on sound aerodynamic principles, wind resistance is minimized and efficient airflow is achieved. All products are used in a wide range of settings, including various types of farms, greenhouses and factory buildings.

[Application examples] :

[Technical parameters] :

| Model specifications | Diameter blades (mm) | Blade rotational speed (rpm) | Motor rotational speed (rpm) | Air flow (m <sup>3</sup> /h) | (Pa) Total pressure | Noise decibels | (W) Input power | (V) Rated voltage | (mm) Height | (mm) Width | (mm) Thickness |
|----------------------|----------------------|------------------------------|------------------------------|------------------------------|---------------------|----------------|-----------------|-------------------|-------------|------------|----------------|
| MSC -800             | 710 (28")            | 650                          | 1400                         | 18000                        | 60                  | ≤70            | 370             | 380               | 800         | 800        | 450            |
| MSC -1000            | 910 (36")            | 650                          | 1400                         | 26000                        | 60                  | ≤70            | 550             | 380               | 1000        | 1000       | 450            |
| MSC -1100            | 1000(40")            | 600                          | 1400                         | 33000                        | 70                  | ≤70            | 750             | 380               | 1100        | 1100       | 450            |
| MSC -1220            | 1100(43")            | 440                          | 1400                         | 39500                        | 50                  | ≤70            | 1100            | 380               | 1220        | 1220       | 450            |
| MSC -1380            | 1270(50")            | 440                          | 1400                         | 43500                        | 56                  | ≤70            | 1100            | 380               | 1380        | 1380       | 450            |
| MSC -1530            | 1400(55")            | 420                          | 1400                         | 51000                        | 56                  | ≤75            | 1500            | 380               | 1530        | 1530       | 450            |

[Performance characteristics] :



Fan Blade: composed of Krupp stainless steel, made by punch forming, ensuring no dust. Attractive and durable. The special blade shape design ensures large air volumes, no deformation and a continuous, consistent rate of air flow.



Motor: both Chinese famous motors and Siemens motors are available. Motor voltage and frequency may be customized. The Chinese famous motors are especially designed for the fan, and is the first of its kind with protection device which could power off during a shortage of electricity. Motor protection grade: IP55; Insulation class: Grade F.



Fan Belt Pulley: composed of high strength aluminum-magnesium alloy by die-casting which reduces the weight of the blade impeller and provides it with complete, high corrosion resistance. It utilizes a special "three reinforced ribs pulley" design. Blast-sanding treatment is done to provide an attractive appearance, as well as eliminate internal stress, improving its own rigidity and stability to minimize breakage.



Fan Bearing: adopts imported double-row bearings with special waterproof design, ensuring water does not enter. Exhibits high strength, lower noise, is maintenance free and has a long service life.



Centrifugal System: opens the shutters at complete 90 degree angles to ensure the lowest air resistance while maximizing air volume. When closed, the sealing can efficiently block light and wind into the poultry farm house. It is the first to adopt high quality, 100% nylon to ensure long service life. The fasteners of the centrifugal system are made of copper rivets which confer flexibility while providing water and dust resistance. The guide rod is made of 304 high strength, rust-resistant stainless steel which reduces friction.

[Production equipment] :



### MSH - SERIES HEAVY HAMMER EXHAUST FAN



**MSH - Fan** is mainly composed of a blade, motor, outer frame protecting nets and supporting frames and shutters. The motor drives blade to cause air flow and shutters can open and close automatically to keep the dust from entering. The major parts are made of galvanized steel sheets and stainless steel sheets.

[Technical parameters] :

| Model specifications | Diameter blades (mm) | Blade rotational speed (rpm) | Motor rotational speed (rpm) | Air flow (m <sup>3</sup> /h) | (Pa) Total pressure | Noise decibels | (W) Input power | (V) Rated voltage | (mm) Height | (mm) Width | (mm) Thickness |
|----------------------|----------------------|------------------------------|------------------------------|------------------------------|---------------------|----------------|-----------------|-------------------|-------------|------------|----------------|
| MSH -620             | 500 (20")            | 1400                         | 1400                         | 5700                         | 55                  | ≤60            | 370             | 380               | 620         | 620        | 370            |
| MSH -800             | 710 (28")            | 650                          | 1400                         | 18000                        | 75                  | ≤60            | 370             | 380               | 800         | 800        | 400            |
| MSH -900             | 750 (30")            | 650                          | 1400                         | 20000                        | 60                  | ≤60            | 550             | 380               | 900         | 900        | 400            |
| MSH -1000            | 900 (36")            | 610                          | 1400                         | 23000                        | 70                  | ≤60            | 550             | 380               | 1000        | 1000       | 400            |
| MSH -1100            | 1000(39")            | 600                          | 1400                         | 32500                        | 70                  | ≤60            | 750             | 380               | 1100        | 1100       | 400            |
| MSH -1220            | 1100(43")            | 460                          | 1400                         | 38000                        | 73                  | ≤60            | 1100            | 380               | 1220        | 1200       | 400            |
| MSH -1380            | 1250(50")            | 439                          | 1400                         | 44000                        | 60                  | ≤60            | 1100            | 380               | 1380        | 1380       | 400            |
| MSH -1530            | 1400(55")            | 439                          | 1400                         | 55800                        | 60                  | ≤60            | 1500            | 380               | 1530        | 1530       | 400            |



Fan Blade: composed of Krupp stainless steel, made by punch forming, ensuring no dust. Attractive and durable. The special blade shape design ensures large air volumes, no deformation and a continuous, consistent rate of air flow.



Motor: both Chinese famous motors and Siemens motors are available. Motor voltage and frequency may be customized. The Chinese famous motors are especially designed for the fan, and is the first of its kind with protection device which could power off during a shortage of electricity. Motor protection grade: IP55; Insulation class: Grade F.



Fan Belt Pulley: composed of high strength aluminum-magnesium alloy by die-casting which reduces the weight of the blade impeller and provides it with complete, high corrosion resistance. It utilizes a special "three reinforced ribs pulley" design. Blast-sanding treatment is done to provide an attractive appearance, as well as eliminate internal stress, improving its own rigidity and stability to minimize breakage.



Fan Bearing: adopts imported double-row bearings with special waterproof design, ensuring water does not enter. Exhibits high strength, lower noise, is maintenance free and has a long service life.



Drop Hammer: using high strength nylon, this swing drop hammer opening device ensures the flexibility of the opening and closing of the shutters.



Belts: imported belts that exhibit long service life, ensuring minimal maintenance.

شركتنا الوكيل الحصري لمراوح التبريد ماركة محمي السويدية ذات الجودة العالية  
 و الخاصة بالبيوت الزراعية بكافة أنواعها ومقاساتها

**Our company is the exclusive agent for the Swedish brand MAHMI cooling fans which is of a very high quality and for greenhouses of all types and sizes.**

## MAHMI SERIES CIRCULATION FAN



### [ Performance characteristics ] :

- ◆ Features the excellent "Haier" brand electronics.
- ◆ International advanced energy conservation technology tested.
- ◆ Light aluminum board punch press fan blazer: exhibits a wide angle, large air pressure and low noise.
- ◆ Outer covering is stainless steel. Steel spraying is also available.
- ◆ Equipped with beautiful and convenient button type hanging articles.
- ◆ Long service life: over 10 years.

### [ Technical parameters ] :



| Type   | Diameter blades | AirVolume | Power | Voltage   | motor rotation | HZ |
|--------|-----------------|-----------|-------|-----------|----------------|----|
| MS-300 | 300             | 2880      | 150   | 220 (380) | 1400           | 50 |
| MS-400 | 400             | 4180      | 250   | 220 (380) | 1400           | 50 |
| MS-500 | 500             | 5300      | 250   | 220 (380) | 1400           | 50 |
| MS-600 | 600             | 6500      | 370   | 220 (380) | 1400           | 50 |






شركتنا الوكيل الحصري لألواح التبريد ماركة محمي السويدية ذات الجودة العالية و  
 الخاصة بالبيوت الزراعية

**Our company is the exclusive agent of the high-quality  
 MAHMI Swedish brand cooling panels for greenhouses.**





**MAHMI COOLING PAD**



**[ Performance characteristics ] :**


- ◆ Adopting imported European fiber paper, our pad exhibits high absorbability and water resistance. It uses anti-mildew and moth-preventive material to ensure long life service.
- ◆ Using spatial crossing linking technology and a large evaporation area, cooling efficiency is increased to as high as 80%.
- ◆ Our cooling pad involves active surface agents which absorb water naturally, allowing for rapid penetration and lasting effectiveness. A drop of water can diffuse in 4-5 seconds. Limit of water absorption: 60-70 mm/ 5 minutes, 200mm/1.5 hours – consistent with international standards.
- ◆ Our cooling pad does not contain phenol, which is irritant to the skin. It is harmless to humans and animals and is free of poisons.
- ◆ Available colors: brown and green coats.




**[ Specifications ] :**

|                            | H:Height         | W:Width  | D:Thickness |
|----------------------------|------------------|----------|-------------|
| h:Flate high               | 1500, 1800, 2000 | 600, 300 | 7, 5        |
| $\beta$ : Across angle (1) | 45               | 45       | 45          |
| $\beta$ : Across angle (2) | 45               | 45       | 45          |

**[ Application examples ] :**



**[ Installation diagram ]**



**[ Cooling Pad Production Line ]**



متخصصون في تصميم وتوريد وتركيب جميع أنواع أنظمة الزراعة المائية و مستلزماتها


**Specialized in designing, supplying and installing all types of hydroponic systems and their accessories.**




متخصصون في تصميم وتوريد وتركيب جميع أنواع أنظمة الزراعة المائية و مستلزماتها

**Specialized in designing, supplying and installing all types of hydroponic systems and their accessories.**







①




②



③



④





⑤

- ① Plug the positive
- ② Plug the back
- ③ Joint
- ④ warping preventing
- ⑤ Geotextile

متخصصون في تصميم وتوريد وتركيب جميع أنواع أنظمة الزراعة المائية و مستلزماتها

Specialized in designing, supplying and installing all types of hydroponic systems and their accessories.




متخصصون في تصميم وتوريد وتركيب جميع أنواع أنظمة الزراعة المائية و مستلزماتها و نقوم بتوريد أكياس الكوكو بيت ماركة محمي السويدية

**Specialized in designing, supplying and installing all types of hydroponic systems and their accessories, and we supply the Swedish MAHMI Coco Pet bags.**




### Gutter 6,2 x 23



- Polypropylene 0,7 mm
- Extended Width: 35,4 cm
- Weight: 640 gr/m<sup>2</sup>

Mahmi Agricultural Trading  
Tele: +974 77507722 - www.mahmi.net

### Eco Spacer



- Polypropylene
- Weight: 270 g/m

Mahmi Agricultural Trading  
Tele: +974 77507722 - www.mahmi.net

### Clip without ring



Clip-E Ø16

Clip Ø25



- Polypropylene
- Piece Weight: 3 g.
- For fixing the gutter, the spacer and the drip pipe.

Mahmi Agricultural Trading  
Tele: +974 77507722 - www.mahmi.net

### Out-Flow




- Polypropylene
- Piece Weight: 60 g.
- Exit Diameter: 26 mm.

Mahmi Agricultural Trading  
Tele: +974 77507722 - www.mahmi.net




نقوم بتوريد كافة مستلزمات المشاتل الزراعية من طاولات للشتول وأنظمة ري

**We supply all the requirements for agricultural nurseries,  
including tables for seedlings and irrigation systems.**



نحن الوكلاء الحصريون والموزعون لألواح البولي كربونات ماركة محمي السويدية و التي تصنع حسب المواصفات والمقاييس الاوربية و قد اثبتت منتجاتها مقاومة عالية لدرجات الحرارة و الرطوبة العالية

**We are the exclusive agent and distributor for the polycarbonate sheets of the Swedish brand MAHMI which are manufactured according to European specifications and standards, and whose products have proven high resistance to temperatures and high humidity.**



**Mahmi** Multiwall Polycarbonate Sheet combines the characteristic strength of polycarbonate with insulation. This yields a strong, insulating lightweight, attractive sheet for varied roofing, cladding, and glazing. **Mahmi** Multiwall Polycarbonate Sheet is used in markets as diverse as construction, agriculture, industry, DIY and advertising.

#### Product Features

- High thermal insulation
- Light weight and impact resistant
- High light transmission
- Weather and UV resistance
- Easy to handle and install
- High fire performance rating


#### Applications

- Architectural roofing and glazing
- Skylights and sidelights
- Displays, signage and decorations
- Industrial roofing and glazing DIY
- Covered swimming pools
- Agricultural greenhouses

#### MAHMI POLYCARBONATE ANTI-DRIP SHEET PROVIDED AN OPTIMAL CULTIVATION ENVIRONMENT

BY COMBINING HIGH LIGHT TRANSMISSION, EXCELLENT WEATHER RESISTANCE AND A SPECIAL ANTI-DRIP FEATURE. THE CELLULAR MULTI-LAYER STRUCTURE REDUCES HEATING COSTS IN WINTER WHILE MINIMIZING EXCESSIVE HEAT IN SUMMER AND A SPECIAL COATING ON THE BOTTOM SIDE ELIMINATES CONDENSATION DRIPPING.


MAHMI POLYCARBONATE ANTI-DRIP SHEET BLOCKS ULTRAVIOLET RAYS THAT BURN PLANTS AND LIVING TISSUES AND TRANSMITS ONLY BENEFICIAL RADIATION.



## Multiwall Polycarbonate Sheet

Frosted multiwall sheets series has the features of brightness and shiny, making the penetrated light softer, which eliminates light band, decrease light pollution and provides better visual effects and abrasion resistance.

| Walls              | Grade name | Thickness(mm) | Weight(kg/m <sup>2</sup> ) | Rib distance (mm) | U-value (W/m <sup>2</sup> ·K) | UV      |         | LT(%) clear | LT(%) opal |
|--------------------|------------|---------------|----------------------------|-------------------|-------------------------------|---------|---------|-------------|------------|
|                    |            |               |                            |                   |                               | UV Side | UV Side |             |            |
| 2-wall R-structure | RGL42RS85  | 4             | 0.85                       | 6                 | 3.96                          | 1/2     |         | 78          | 47         |
|                    | RGL452RS10 | 4.5           | 1.0                        | 6                 | 3.86                          | 1/2     |         | 77          | 47         |
|                    | RGL62RS13  | 6             | 1.3                        | 6                 | 3.56                          | 1/2     |         | 77          | 46         |
|                    | RGL82RS15  | 8             | 1.5                        | 10                | 3.26                          | 1/2     |         | 76          | 44         |
|                    | RGL102RS17 | 10            | 1.7                        | 10                | 3.02                          | 1/2     |         | 73          | 44         |



Frosted multiwall sheets series

نحن الوكلاء الحصريون والموزعون لرقائق البولي ايثيلين ماركة محمي السويدية و التي تصنع حسب المواصفات والمقاييس الاوربية و قد اثبتت منتجاتها مقاومة عالية لدرجات الحرارة و الرطوبة العالية



We are the exclusive agent and distributor for the polyethylene foils of the Swedish brand MAHMI which are manufactured according to European specifications and standards, and whose products have proven high resistance to temperatures and high humidity.

## PRODUCT DATA SHEET


|              |                |
|--------------|----------------|
| PRODUCER     | Mahmi by HiTEC |
| PRODUCT TYPE | UV2982AD       |

|  |  |                |
|--|--|----------------|
| PRODUCT DESCRIPTION  | 3-LAYER, LONG-LIFE, COLORLESS, HIGH DIFFUSING, ANTI-DRIPPING GREENHOUSE FILM |                |
| RESINS   | LDPE/LLDPE   |                |
| NOMINAL THICKNESS ( mic)   | 200  |                |
| AVERAGE THICKNESS TOLERANCE  | ± 5% ON NOMINAL THICKNESS  |                |
| MECHANICAL PROPERTIES  | TEST METHOD  | TYPICAL VALUES |
| TENSILE STRENGTH @ BREAK (MPa)<br>-MACHINE DIRECTION<br>-TRANSVERSAL DIRECTION | ASTM D882  | 25             |
|  |  | 25             |
| ELONGATION @ BREAK (%)<br>-MACHINE DIRECTION<br>-TRANSVERSAL DIRECTION         | ASTM D882  | 600            |
|  |  | 700            |
| TEAR RESISTANCE (gf/ mic)  | ASTM D1922   | 10.0           |
| DART DROP (g)  | ASTM D1709   | 600            |
| OPTICAL PROPERTIES   |  |                |
| LIGHT TRANSMISSION (%) (400-700 nm)  | TN2155-5   | ≥ 88           |
| DIFFUSION (%) (400-700 nm)   | TN2155-9   | 70-72          |










نحن الوكلاء الحصريون والموزعون لرفائق الشبك و اغطية التظليل ماركة محمي السويدية و التي تصنع حسب المواصفات والمقاييس الاوربية و قد اثبتت منتجاتها مقاومة عالية لدرجات الحرارة و الرطوبة العالية

**We are the exclusive agent and distributor for the netting foils of the Swedish brand MAHMI which are manufactured according to European specifications and standards, and whose products have proven high resistance to temperatures and high humidity.**



لعملية تركيب الاغطية الخاصة بالبيوت الزراعية يتوفر لدينا و نستخدم افضل الاكسسوارات و المعدات اللازمة لذلك الغرض

For the process of installing the covers of the greenhouses, we use the best equipment's and accessories.



شركة محمي تقوم بتصميم وتصنيع وتوريد أنظمة التحكم بالتسميد والري والطقس و ذلك بما يتناسب مع متطلبات كل مزرعة

**MAHMI designs, manufactures and supplies fertilization, irrigation and environment control systems to suit the requirements of each farm.**



شركة محمي تقوم بتوريد أنظمة تحلية مياه الابار و مياه البحر

**MAHMI supplies wells and sea water desalination systems.**





## COMPANY INFO:



**WWW.MAHMI.NET/QATAR**



**QRMAHMI@HOTMAIL.COM**



**LOCATION: MASHAAL STREET 400,  
ZONE 56, BUILDING 15, DOHA, QATAR**



**MOBILE : 00974 77507722**



**TEL: 00974 44120647**



**HTTPS://WWW.FACEBOOK.COM/MAHMIAGRICULTURAL**



**@MAHMIAGRICULTURAL**